Microorganisms



193: DESULFOBACTER MEDIUM

This recipe contains strain-specific modifications for Garciella nitratireducens DSM 15102 *

Final pH: 7.1 - 7.4 Final volume: 1003 ml

Solution A	942.00	ml
Solution B	30.00	ml
Solution C	20.00	ml
Solution D	1.00	ml
Solution E	10.00	ml

- 1. Solution A is sparged with 80% N_2 and 20% CO_2 gas mixture to reach a pH below 6 (at least 30 min), then distributed under the same gas atmosphere in anoxic Hungate-type tubes or serum vials and autoclaved. Solution B is autoclaved separately under 80% N_2 and 20% CO_2 gas atmosphere. Solutions C and E are autoclaved under 100% N_2 gas. Solution D is prepared under 100% N_2 gas atmosphere and sterilized by filtration. To complete the medium appropriate amounts of solutions B to E are added to the sterile solution A in the sequence as indicated. Final pH of the medium should be 7.1 7.4.
- 2. Note: Addition of 10 20 mg sodium dithionite per liter (e.g. from 5% (w/v) solution, freshly prepared under N_2 and filter-sterilized) may stimulate growth of some strains at the beginning. For transfers use 5 10% (v/v) inoculum.
- * Omit Na-acetate and add after autoclaving 1.00 g/l yeast extract and 3.50 g/l D-glucose from sterile anoxic stock solutions.

Solution A

Na_2SO_4	3.00	g
KH_2PO_4	0.20	g
NH ₄ Cl	0.30	g
NaCl	7.00	g
$MgCl_2 \times 6 H_2O$	1.30	g
KCI	0.50	g
CaCl ₂ x 2 H ₂ O	0.15	g
Trace element solution SL-10	1.00	ml
Selenite-tungstate solution	1.00	ml
Sodium resazurin (0.1% w/v)	0.50	ml
Yeast extract	1.00	g
Distilled water	940.00	ml

Solution B

Na ₂ CO ₃	1.50	g

Microorganisms

193: DESULFOBACTER MEDIUM



Distilled water	30.00	ml	
Solution C Na acetate × 3 H,O	2.50	a	
D-Glucose	3.50	g	
Distilled water	20.00	g ml	
Distilled water	20.00	1111	
Solution D			
Wolin's vitamin solution (10x)	1.00	ml	
Solution E			
Na ₂ S x 9 H ₂ O	0.40	g	
Distilled water	10.00	ml	
Selenite-tungstate solution (from medium 385)			
NaOH	0.50	g	
$Na_2SeO_3 \times 5 H_2O$	3.00	mg	
$Na_2WO_4 \times 2 H_2O$	4.00	mg	
Distilled water	1000.00	ml	
Trace element solution SL-10 (from med	dium 320)		
HCI (25%)	10.00	ml	
FeCl ₂ x 4 H ₂ O	1.50	g	
$ZnCl_2$	70.00	mg	
$MnCl_2 \times 4 H_2O$	100.00	mg	
H_3BO_3	6.00	mg	
CoCl ₂ x 6 H ₂ O	190.00	mg	
CuCl ₂ x 2 H ₂ O	2.00	mg	
$NiCl_2 \times 6 H_2O$	24.00	mg	
$Na_2MoO_4 \times 2 H_2O$	36.00	mg	
Distilled water	990.00	ml	

First dissolve FeCl_2 in the HCl, then dilute in water, add and dissolve the other salts. Finally make up to 1000.00 ml.

Wolin's vitamin solution (10x) (from medium 120)

Biotin	20.00	mg
Folic acid	20.00	mg
Pyridoxine hydrochloride	100.00	mg
Thiamine HCI	50.00	mg

Microorganisms

193: DESULFOBACTER MEDIUM



Riboflavin	50.00	mg
Nicotinic acid	50.00	mg
Calcium D-(+)-pantothenate	50.00	mg
Vitamin B ₁₂	1.00	mg
p-Aminobenzoic acid	50.00	mg
(DL)-alpha-Lipoic acid	50.00	mg
Distilled water	1000.00	ml