Microorganisms



193: DESULFOBACTER MEDIUM

This recipe contains strain-specific modifications for Desulfatiglans anilini DSM 4660 *

Final pH: 7.1 - 7.4 Final volume: 1003 ml

Solution A	942.00	ml
Solution B	30.00	ml
Solution C	20.00	ml
Solution D	1.00	ml
Solution E	10.00	ml
Seven vitamins solution	1.00	ml

1. Solution A is sparged with 80% N_2 and 20% CO_2 gas mixture to reach a pH below 6 (at least 30 min), then distributed under the same gas atmosphere in anoxic Hungate-type tubes or serum vials and autoclaved. Solution B is autoclaved separately under 80% N_2 and 20% CO_2 gas atmosphere. Solutions C and E are autoclaved under 100% N_2 gas. Solution D is prepared under 100% N_2 gas atmosphere and sterilized by filtration. To complete the medium appropriate amounts of solutions B to E are added to the sterile solution A in the sequence as indicated. Final pH of the medium should be 7.1 - 7.4.

2. Note: Addition of 10 - 20 mg sodium dithionite per liter (e.g. from 5% (w/v) solution, freshly prepared under N₂ and filter-sterilized) may stimulate growth of some strains at the beginning. For transfers use 5 - 10% (v/v) inoculum.

* Omit Na-acetate and add after autoclaving 1.00 ml/l seven vitamins solution (see medium 503) and 0.10 g phenol from anoxic stock solutions sterilized by filtration.

Solution A		
Na ₂ SO ₄	3.00	g
KH ₂ PO ₄	0.20	g
NH ₄ Cl	0.30	g
NaCl	7.00	g
$MgCl_2 \times 6 H_2O$	1.30	g
KCI	0.50	g
$CaCl_2 \times 2 H_2O$	0.15	g
Trace element solution SL-10	1.00	ml
Selenite-tungstate solution	1.00	ml
Sodium resazurin (0.1% w/v)	0.50	ml
Distilled water	940.00	ml

Solution B		
Na ₂ CO ₃	1.50	g

Microorganisms

193: DESULFOBACTER MEDIUM



Distilled water	30.00	ml	
Solution C Na-acetate x 3 H ₂ O	2.50	g	
Phenol	0.10	g	
Distilled water	20.00	ml	
Solution D Wolin's vitamin solution (10x)	1.00	ml	
Solution E			
$Na_2S \times 9 H_2O$	0.40	g	
Distilled water	10.00	ml	
Selenite-tungstate solution (from medi NaOH Na $_2$ SeO $_3 \times 5 H_2$ O Na $_2$ WO $_4 \times 2 H_2$ O Distilled water	ium 385) 0.50 3.00 4.00 1000.00	g mg mg ml	
Trace element solution SL-10 (from medium 320)			
HCI (25%)	10.00	ml	
FeCl ₂ x 4 H ₂ O	1.50	g	
ZnCl ₂	70.00	mg	
$MnCl_2 \times 4 H_2O$	100.00	mg	
H ₃ BO ₃	6.00	mg	
$CoCl_2 \times 6 H_2O$	190.00	mg	
$CuCl_2 \times 2 H_2O$	2.00	mg	
$NiCl_2 \times 6 H_2O$	24.00	mg	
$Na_2MoO_4 \times 2 H_2O$	36.00	mg	
Distilled water	990.00	ml	

First dissolve FeCl_2 in the HCl, then dilute in water, add and dissolve the other salts. Finally make up to 1000.00 ml.

Wolin's vitamin solution (10x) (from medium 120))	
Biotin	20.00	mg
Folic acid	20.00	mg
Pyridoxine hydrochloride 1	00.00	mg
Thiamine HCI	50.00	mg

Microorganisms

193: DESULFOBACTER MEDIUM



Riboflavin	50.00	mg
Nicotinic acid	50.00	mg
Calcium D-(+)-pantothenate	50.00	mg
Vitamin B ₁₂	1.00	mg
p-Aminobenzoic acid	50.00	mg
(DL)-alpha-Lipoic acid	50.00	mg
Distilled water	1000.00	ml

Seven vitamins solution* (from medium 503)		
Vitamin B ₁₂	100.00	mg
p-Aminobenzoic acid	80.00	mg
D-(+)-biotin	20.00	mg
Nicotinic acid	200.00	mg
Calcium pantothenate	100.00	mg
Pyridoxine hydrochloride	300.00	mg
Thiamine-HCl x 2 H_2O	200.00	mg
Distilled water	1000.00	ml