Microorganisms



88: SULFOLOBUS MEDIUM

This recipe contains strain-specific modifications for Sulfurisphaera tokodaii DSM 16993 *

Final pH: * 3.0

Final volume: 1010 ml

$(NH_4)_2SO_4$	1.30	g
KH ₂ PO ₄	0.28	g
$MgSO_4 \times 7 H_2O$	0.25	g
CaCl ₂ x 2 H ₂ O	0.07	g
FeCl ₃ x 6 H ₂ O	0.02	g
Allen's trace element solution	10.00	ml
Yeast extract (OXOID)	1.00	g
D-Glucose	1.00	g
Casamino acids	1.00	g
Distilled water	1000.00	ml

Dissolve ingredients (except yeast extract or other substrates), adjust pH of the salt solution at room temperature to 2.0 using $10~N~H_2SO_4$ and autoclave. Yeast extract and other organic substrates are sterilized separately by autoclaving of a 10% (w/v) stock solution at neutral pH.

Allen's trace element solution (from medium 88)

$MnCl_2 \times 4 H_2O$	180.00	mg
$Na_2B_4O_7 \times 10 H_2O$	450.00	mg
ZnSO ₄ x 7 H ₂ O	22.00	mg
CuCl ₂ x 2 H ₂ O	5.00	mg
$Na_2MoO_4 \times 2 H_2O$	3.00	mg
VOSO ₄ x 2 H ₂ O	3.00	mg
$CoSO_4 \times 7 H_2O$	1.00	mg
Distilled water	1000.00	ml

Adjust pH of final solution to 2 with 1 N HCl.

^{*} Supplement medium with 1.00 g/l D-glucose and 1.00 g/l Casamino acids. Adjust pH of the completed medium to 3.0.